

Date:

# Comirnaty 30mcg (12+ years) Grey Cap DO NOT DILUTE Vaccine Record

**Comirnaty 30mcg Grey Cap DO NOT DILUTE Vaccine. Store vaccine in fridge and only remove for drawing up.**

Vial number	Sub batch number from box	Expiry date from the box	Initials of independent check of correct grey cap vaccine	Time and date the cap removed	USE BY time and date written on vial <i>12 hours after cap removed</i>	Syringe expiry <i>Either 6 hours from draw up of vaccine OR the USE BY by time and date on vial, whichever is soonest</i>	Number of doses taken from vial	Running total of doses from this vial	Attach correct vaccine sticker to cap of every syringe dose	Initials of person preparing	Initials of 2nd checker

*Vials should be numbered consecutively. Each syringe should be individually labelled.*

**SIGNATURE & INITIALS LOG**

Signature	Initials	Signature	Initials

Date:

# Comirnaty Original/Omicron 15/15 mcg Grey Cap DO NOT DILUTE Vaccine Record - BOOSTER

Comirnaty 15/15 mcg Grey Cap DO NOT DILUTE Vaccine BOOSTER. Store vaccine in fridge and only remove for drawing up.											
Vial number	Sub batch number from box	Expiry date from the box	Initials of independent check of correct grey cap vaccine	Time and date the cap removed	USE BY time and date written on vial <i>12 hours after cap removed</i>	Syringe expiry <i>Either 6 hours from draw up of vaccine OR the USE BY by time and date on vial, whichever is soonest</i>	Number of doses taken from vial	Running total of doses from this vial	Attach correct vaccine sticker to cap of every syringe dose	Initials of person preparing	Initials of 2nd checker

*Vials should be numbered consecutively. Each syringe should be individually labelled.*

SIGNATURE & INITIALS LOG			
Signature	Initials	Signature	Initials